


Beschreibung:

Die UNIVERSAL – Liftpumpe LP ist universell für alle gängigen Kanister und Fässer von 20 – 205 Liter einsetzbar.


Technische Daten:

Förderleistung 0,25 Liter / Hub.

LP-S 25 / LP-C 25



LP-S 200 / LP-C 200



Zubehör:

- 1,5m PVC Abgabeschlauch mit Auslaufülle
- Universaladapter (Standard für LP-S 25 und LP-C 25, passend für alle gängigen Behältertypen)
- Andere Adaptertypen auf Anfrage


Typ	Adapter- gewinde	Gebindegröße (ca. Liter)	Saugrohr- länge	Werkstoffe	Beständigkeit
LP-S 25	universal	25	500 mm	Polypropylen Stahl vernickelt	Schmieröle Diesel
LP-S 200	R 2"	200	1000mm	Nitril	Heizöl Frostschutz
LP-C 25	universal	25	500 mm	Nylon 6 Niro Stahl	wie LP-S und Chemiekalien
LP-C 200	R 2"	200	1000mm	Teflon	Verdünnern Lösungsmittel Reiniger

Beständigkeitsliste:


Medium	UNIVERSAL-Liftpumpe LPS	UNIVERSAL-Liftpumpe LPC
Aceton	O	X
Acrylonitrile	O	X
Diacetonalkohol	O	X
Amine	O	X
Ammonium-Carbonat	O	X
Amylacetat	O	X
Frostschutz	X	X
Benzol	O	X
Bleichmittel	O	X
Waschmittel /	X	X
Dichlorethan	O	X
Ethyl-Acetat	O	X
Ethylenglycol	X	X
Ethylenoxid	O	X
Clycerin	X	X
Lackverdünner	O	X
Methanol	O	X
Methylacetat	O	X
Methylacrylat	O	X
Methylalkohol (Methanol)	O	X
Methyl-Ethyl Keton	O	X
Methyl-Isobutyl Keton	O	X
Methyl-Isopropyl Keton	O	X
Natronlauge	O	X
Paraffin Oel	X	X
Potassium-Ferrecyanid	O	X
Kalilauge	O	X
Seifenlösung	X	X
Natriumacetat	O	X
Natrium Hyposulfat	O	X
Natrium Nitrat	O	X
Lösungsmittel	O	X
Tetrahydrofuran	O	X
Toluol	O	X

X = beständig / O = nicht beständig

Barrel Pumps

Languages > 

Universal-Lift Pump LP-S 25 / LP-S 200



LP-S 25 / LP-S 200
Item-No.: 253190600007

Application Area

The Universal-Lift pump LP-S is for standard drums and barrels 20 – 205 Liter.

Technical Data

	LP-S 25	LP-S 200
Output	0,25 l/stroke	
Adapter Thread	universal	R2"
Container Type (e.g l)	25	200
Intake Tube Length	500 mm	1000 mm
Material	Nylon 6, Niro Steel, Teflon	
Compatible	Lubrication oils, diesel and fuel oil	
Accessory:	1,5 m PVC Outlet hose and nozzle	

Resistance List

Medium		Medium	
		Methanol	O
Acetone	O	Methyl acetate	O
Acrylonitrile	O	Methyl acrylate	O
Diacetone alcohol	O	Methyl alcohol (Methanol)	O
Amine	O	Methyl-Ethyl Ketone	O
Ammonium-Carbonate	O	Methyl-Isobutyl Ketone	O
Amyl acetate	O	Methyl-Isopropyl Ketone	O
Antifreeze	X	Sodium hydroxide	O
Benzol	O	Paraffine Oil	X
Bleaching Agent	O	Potassium-Ferrocyanide	O
Cleaning Agent /		Caustic potash	O
Detergent/Ingredient	X	Soap solution	X
Dichlorethane	O	Sodium acetate	O
Ethylacetate	O	Sodium Hyposulfite	O
Ethylene glycol	X	Sodium Nitrate	O
Ethylene oxide	O	Solvents	O
Glycerine	X	Tetrahydrofuran	O
Varnish Duluters	O	Toluol	O

X = Resistant / O = Not Resistant

* Changes and mistakes excepted, prices plus packing and VAT.